Material Safety Data Sheet



1. Product and company identification

Product name Brayco Micronic 889

MSDS # 454448 Historic MSDS #: 27019-AE Code 454448-US03

Product use Heat transfer fluid.

For specific application advice see appropriate Technical Data Sheet or consult our company

representative.

Manufacturer Castrol Industrial North America, Inc.

150 W. Warrenville Road Naperville, IL 60563

Supplier Castrol Industrial North America, Inc.

150 W. Warrenville Road Naperville, IL 60563

Product Information: +1-877-641-1600 1 (800) 424-9300 CHEMTREC (USA)

EMERGENCY SPILL INFORMATION:

2. Hazards identification

Physical state Liquid.

Color Light Yellow.

Emergency overview WARNING!

HARMFUL IF INHALED.

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

ASPIRATION HAZARD

HARMFUL OR FATAL IF SWALLOWED. CAN ENTER LUNGS AND CAUSE DAMAGE.

Harmful by inhalation. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not breathe vapor or mist. Do not ingest. If ingested, do not induce vomiting. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and

sealed until ready for use. Wash thoroughly after handling.

Routes of entry Dermal contact. Eye contact. Inhalation.

Potential health effects

Eyes May cause eye irritation.

Skin May cause skin irritation.

Inhalation Harmful by inhalation. May cause respiratory tract irritation.

Ingestion Aspiration hazard if swallowed. Can enter lungs and cause damage. Ingestion may cause

gastrointestinal irritation and diarrhea.

See toxicological information (Section 11)

3. Composition/information on ingredients

Ingredient name CAS # %

Dec-1-ene, dimers, hydrogenated 68649-11-6 95 - 100

Product name Brayco Micronic 889 Product code 454448-US03 Page: 1/5

Version 6.01 Date of issue 08/07/2012. Format US Language ENGLISH

(US) (ENGLISH)

4. First aid measures

Eye contact In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get

medical attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Clean

shoes thoroughly before reuse. Wash contaminated clothing before reuse. Get medical attention.

Inhalation If inhaled, remove to fresh air. If it is suspected that fumes are still present, the rescuer should

wear an appropriate mask or self-contained breathing apparatus. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. Fire-fighting measures

Flash point Open cup: 160°C (320°F) [Cleveland.]

Fire/explosion hazards In a fire or if heated, a pressure increase will occur and the container may burst.

Extinguishing media

Suitable Use an extinguishing agent suitable for the surrounding fire.

Not suitable Do not use water jet.

Fire-fighting procedures Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion

products

Ingestion

Combustion products may include the following:

carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide)

Protective clothing (fire) Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions No action shall be taken involving any personal risk or without suitable training. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal

protective equipment (see Section 8).

EnvironmentalAvoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
precautions
Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for cleaning up

Large spill Stop leak if without risk. Move containers from spill area. Approach release from upwind.

Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-

soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling

Small spill

Put on appropriate personal protective equipment (see Section 8). Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

(US)

(ENGLISH)

Product name Brayco Micronic 889 Product code 454448-US03 Page: 2/5

Version 6.01 Date of issue 08/07/2012. Format US Language ENGLISH

Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Occupational exposure limits

This product does not have any assigned OELs.

Some states may enforce more stringent exposure limits.

Control MeasuresUse only with adequate ventilation. Use process enclosures, local exhaust ventilation or other

engineering controls to keep worker exposure to airborne contaminants below any recommended

or statutory limits.

Hygiene measures Wash hands, forearms and face thoroughly after handling chemical products, before eating,

smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before

reusing.

Personal protection

Eyes Avoid contact with eyes. Safety glasses with side shields or chemical goggles.

Skin and bodyAvoid contact with skin and clothing. Wear suitable protective clothing.

Respiratory Use adequate ventilation. Avoid breathing vapor or mist.

Hands The correct choice of protective gloves depends upon the chemicals being handled, the conditions

of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and

with a full assessment of the working conditions.

9. Physical and chemical properties

Physical state Liquid.

Color Light Yellow.

Odor Mild.

Flash point Open cup: 160°C (320°F) [Cleveland.]

Density 800 kg/m³ (0.8 g/cm³) at 15.6°C

Viscosity Kinematic: 5.1 mm²/s (5.1 cSt) at 40°C

Solubility insoluble in water.

10. Stability and reactivity

Stability and reactivity The product is stable.

Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid Avoid all possible sources of ignition (spark or flame).

Incompatibility with various substances

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Hazardous polymerization Under normal conditions of storage and use, hazardous polymerization will not occur.

Product name Brayco Micronic 889 Product code 454448-US03 Page: 3/5

Version 6.01 Date of issue 08/07/2012. Format US Language ENGLISH

(US) (ENGLISH)

11. Toxicological information

Potential chronic health effects

Carcinogenicity No known significant effects or critical hazards.

12. Ecological information

Ecotoxicity

No testing has been performed by the manufacturer.

13. Disposal considerations

Waste information

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

NOTE: The generator of waste has the responsibility for proper waste identification (based on characteristic(s) or listing), transportation and disposal

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

U.S. Federal Regulations

United States inventory (TSCA 8b)

All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Brayco

Micronic 889: Immediate (acute) health hazard

SARA 313

Form R - Reporting requirements

This product does not contain any hazardous ingredients at or above regulated thresholds.

Supplier notification

This product does not contain any hazardous ingredients at or above regulated thresholds.

CERCLA Sections 102a/103 Hazardous Substances (40 CFR Part 302.4): CERCLA: Hazardous substances.: No products were found.

State regulations

Massachusetts Substances None of the components are listed.

New Jersey Hazardous Substances None of the components are listed.

Pennsylvania RTK Hazardous Substances None of the components are listed.

Product nameBrayco Micronic 889Product code454448-US03Page: 4/5Version 6.01Date of issue 08/07/2012.Format USLanguage ENGLISH(US)(ENGLISH)

California Prop. 65 California Prop 65: No products were found

Other regulations

Canada inventory All components are listed or exempted.

REACH Status For the REACH status of this product please consult your company contact, as identified in

Section 1.

Australia inventory (AICS) All components are listed or exempted. China inventory (IECSC) All components are listed or exempted. Japan inventory (ENCS) All components are listed or exempted. Korea inventory (KECI) All components are listed or exempted. Philippines inventory All components are listed or exempted.

(PICCS)

16. Other information

Label requirements WARNING!

HARMFUL IF INHALED.

MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.

Association (U.S.A.)

ASPIRATION HAZARD.

HARMFUL OR FATAL IF SWALLOWED. CAN ENTER LUNGS AND CAUSE DAMAGE.

HMIS® Rating: Health **National Fire Protection Flammability**

Physical Hazard Personal

protection

В

Fire hazard Health Instability Specific hazard

Page: 5/5

(ENGLISH)

History

Date of issue 08/07/2012. Date of previous issue 08/06/2012.

Prepared by Product Stewardship

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

(US)

Product name Brayco Micronic 889 **Product code** 454448-US03 **Version** 6.01 **Date of issue** 08/07/2012. Format US Language ENGLISH