# SAFETY DATA SHEET MILES KOOL SOL SS A



## Section 1 - Identification

#### 1.1 Product Identifiers:

**Product Name: MILES KOOL SOL SS A** 

## 1.2 Product Usage:

Recommended Usage: Metalworking Fluid

Restricted Usage: Not intended for any other usage

## 1.3 Emergency Support:

**CHEMTREC** 

United States +1(800) 424-9300

International +01 (703) 527-3887

#### 1.4 Supplier Information:

MILES LUBRICANTS LLC 66 Marine St. Farmingdale, NY 11735 United States

Phone: 877-683-8086 Fax: 631-229-8000

Email:support@mileslubricants.com

www.MilesLubricants.com

## Section 2 - Hazards Identification

1.1 GHS Classification: Not classified as hazardous

## 1.2 GHS Labeling:

Symbols: None Signal Word: None

### 1.3 Precautionary Statements:

P501: Dispose of contents/ container to an approved waste disposal plant.

1.4 Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]: Not classified as hazardous

**1.5 Other Hazards Not Classified**: No significant hazards

## Section 3 - Composition/Information on Ingredients

Mixture: Highly refined mineral oil, emulsifiers and additives.

Chemical Name CAS Number Concentration, Wt. %	Chemical Name CAS Number	Chemical Name CAS Number
	Concentration, Wt. %	

Within the current knowledge of the supplier and in the concentrations applicable, there are no ingredients present which are classified as hazardous to health or the environment and hence required to be reported in this section.

## Section 4 - First Aid

#### 4.1 First Aid Measures

**Eye Contact:** Flush with large amounts of cold water for at least 15 minutes. Do not let victim rub eyes. If irritation develops, contact a physician immediately.

**Inhalation:** If inhaled, move to fresh air. If victim has stopped breathing give artificial respiration, preferably, mouth to mouth. Contact a physician immediately.

**Ingestion:** Do not induce vomiting. Contact a physician immediately.

**Skin:** Wash affected area with soap and water. Remove contaminated clothing. Launder contaminated clothing before re-use. Contact a physician if irritation develops.

# Section 5 - Fire Fighting Measures

## 5.1 Extinguishing Media

Suitable Media & Unsuitable Media: Carbon dioxide, Dry chemical, Alcohol foam.

5.2 Specific hazards: None

**Special protective equipment:** Isolate fire area and deny unnecessary entry. Use dry chemical, alcohol foam or carbon dioxide. Water may be ineffective but should be used to keep fire exposed containers cool. If a spill or a leak has not ignited, use water spray to disperse the vapors. Water spray may be used only to keep fire exposed containers cool, protect personnel attempting to stop leak and disperse vapors.

5.3 Unusual Fire and Explosion Hazards: None

**5.4 Flammability Properties:** 

Flash point: None

Method Used: N/A

## Section 6 - Accidental Release Measures

## 6.1 Personal precautions, protective equipment emergency procedures:

Use personal protective equipment. Ensure adequate ventilation.

#### 6.2 Environmental Precautions

Do not allow spilled material to enter sewers or streams. If material is released, indicate that there is a risk of slipping in the area. If spills are likely to enter any drain, waterway or groundwater, contact the appropriate governmental agency.

#### 6.3 Materials & Methods to Contain and Cleanup

Add dry material to absorb (if large spill, dike to contain). Using recommended protective equipment, pick up bulk of spill and containerize for recovery or disposal. Flush area with water to remove residues.

## Section 7 - Handling & Storage

#### 7.1 Safe Handling

Read label for instructions in use of product. Prevent small spills and leakage to avoid slip hazard. Avoid contact with skin, eyes and clothing. Do not wear contact lenses when handling this product. Keep out of the reach of children. Wash thoroughly after handling. Material can accumulate static charges which may cause an electrical spark (ignition source).

#### 7.2 Safe Storage

Store in closed containers in a cool, dry well-ventilated area not exposed to sunlight. Maintain closure of bungs. Do not reuse container. Avoid container damage while storing. Do not allow material to be stored below O°C. Do not allow material to freeze. Empty containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, bronze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition; they may explode and cause injury or death. Do not attempt to refill containers since residue is difficult to remove. Empty drums should be completely drained, properly bunged and returned to a drum reconditioner. All containers should be disposed of in an environmentally safe manner in accordance with governmental regulations.

## Section 8 - Exposure Control

## **Control parameters:**

**Exposure Guidelines:** Triethanolamine ACGIH TLV: 5 mg/m3 Base oil: (Mist) OSHA PEL: 5 mg/m3

**Appropriate engineering controls:** Proper protection and controls is dependent upon the potential exposure conditions. No special requirements are needed under ordinary conditions where adequate ventilation is available.

#### Individual protective measures:

**Respiratory protection:** General room ventilation should be satisfactory. Exhaust ventilation may be necessary if misting is generated.

**Eye protection:** Safety glasses with shields or chemical goggles are required. Contact lenses should not be worn if the product could be splashed into the eyes.

**Hand protection:** Rubber gloves are required for single, short duration exposures and for prolonged or repeated exposures.

**Body protection:** For single, short duration and for prolonged or repeated exposures to the skin, wear impervious, protective clothing including rubber safety shoes to avoid skin contact.

# Section 9 - Physical & Chemical Properties

## 9.1 Information on Basic Physical and Chemical Properties

Appearance:	Amber liquid
Odor:	Bland
Odor Threshold:	N/A
pH:	@ 5% in water: 9.1 +/- 0.3
Melting point/freezing point:	0°C
Initial boiling point and boiling range:	>105oC
Flash Point PMCC :	None
Evaporation rate: :	N/D
Flammability (solid, gas):	N/D
Upper/lower flammability or explosive	UEL: N/D LEL: N/D
limits::	
Vapor pressure:	<0.01 mm Hg @ 20oC
Vapor density:	N/A
Relative density:	1.00 +/-0.01
Partition coefficient n-octanol/water:	N/A
Autoignition Temperature:	No data available
Decomposition Temperature:	N/A
Viscosity:	N/D

# Section 10 - Stability & Reactivity

Chemical stability: Stable at normal conditions

Possibility of hazardous reactions: Not expected and hazardous polymerization will not occur

Conditions to avoid: Excessive Heat. Incompatible Materials: None known.

**Hazardous decomposition products:** Oxides of carbon, nitrogen, chlorine and phosphorus.

# Section 11 - Toxicological Information

**Inhalation:** Inhalation of vapors or mist can be irritating to respiratory passages

**Skin:** Prolonged contact can cause irritation

Eyes: Contact can cause irritation

Oral: None known

Systemic (other target organ) Effects: None known

Teratology (birth defects): None known Reproductive Effects: None known

Mutagenicity (effects on genetic material): None known

Carcinogenicity: IARC: NO NTP: No OSHA: No

## Section 12 - Ecological Information

Persistence and degradability: Data is not available.

## Section 13 - Disposal Considerations

**Disposal methods:** P501: Dispose of contents/ container to an approved waste disposal plant Dispose of in accordance with federal, state and local regulations

**Precaution for disposal:** All recovered material should be packaged, labeled, transported and disposed or reclaimed in conformance with Good Engineering Practices. Comply with all applicable governmental regulations. Avoid landfilling of liquids. Reclaim where possible.

## Section 14 - Transportation Information

**US DOT:** Not regulated by the US DOT **RID/ADR:** Not regulated by RID/ADR

**IMO:** Not regulated by IMO **IATA:** Not regulated by IATA

# Section 15 - Regulatory Information

**US TSCA:** In compliance with the inventory **Canada DSL**: In compliance with the inventory

**OSHA HAZARD COMMUNICATION STANDARD:** When used for its intended purpose, this material is classified as hazardous in accordance with OSHA 29CFR 1910.1200.

Complies with the following national/regional chemical inventory requirements: ENCS, IECSC, DSL, AICS, TSCA, KECI, PICCS

**EPCRA**: This material contains no extremely hazardous substances.

**CERCLA:** This material is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). CERCLA

petroleum exclusion applies for this product. Contact local authorities to determine if other reporting

SARA (311/312) REPORTABLE HAZARD CATEGORIES: None.

**SARA (313) TOXIC RELEASE INVENTORY:** This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

**Cal. Prop. 65** This product does not intentionally contain any chemicals known by the State of California to cause cancer and/or birth defects. Moreover, we do not routinely analyze its products for impurities which may be such chemicals.

**VOC Content (SCAQMD ASTM 1868-10) :** <100 g/l concentrate; <10 g/l at maximum recommended

## Section 16 - Other Information

## **Special Precautions to be Taken in Handling and Storage:**

Normal precautions common to good manufacturing practices should be followed in handling and storing. Store away from food. Wash hands before eating, drinking or smoking. Use as directed.

**Disclaimer:** This document has been prepared in good faith and from information provided to us by our suppliers and other sources considered to be reliable. No warranty, express or implied is given. The buyer is responsible to evaluate all available information when using this product for any particular use. The buyer is also responsible for complying with all Federal, State, Provincial, and Local Laws and regulations when using this product.