

SAFETY DATA SHEET
MILES KOOL SOL SYN-G



Section 1 – Identification

1.1 Product Identifiers:

Product Name: MILES KOOL SOL SYN-G

1.2 Product Usage:

Recommended Usage: Metalworking Fluid.

Restricted Usage: Not intended for any other usage

1.3 Emergency Support:

CHEMTREC

United States +1(800) 424-9300

International +01 (703) 527-3887

1.4 Supplier Information:

MILES LUBRICANTS LLC
66 Marine St. Farmingdale, NY 11735
United States
Phone: 877-683-8086
Fax: 631-229-8000
Email :support@mileslubricants.com

www.MilesLubricants.com

Section 2 - Composition / Information on Ingredients

GHS Rating(s):

Skin Irritant – Category 2
H315: Causes skin irritation

Signal Word: Warning

Precautionary Statements:

P264: Wash thoroughly after handling

P280: Wear protective gloves/ protective clothing/ eye protection

P302 + P352: If on skin, wash with soap and water

P332 + P313: If skin irritation occurs, seek medical attention immediately

P362: Take off contaminated clothing and wash before reuse

P501: Dispose of contents/ container to an approved waste disposal plant

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]:

Skin Irritant – Category 2

Other Hazards Not Classified: No significant hazards

Section 3 - Hazards Identification

Mixture: Water, surfactants and additives.

Chemical Name	CAS Number	Concentration, Wt. %
Alkanolamine	141 -43-5	
1,2-Benzisothiazolin-3-one	2634-33-5	

Section 4 - First Aid Measures

4.1 First Aid Measures

Eye Contact: Flush with large amounts of cold water for at least 15 minutes. Do not let victim rub eyes. If irritation develops, contact a physician immediately.

Inhalation: If inhaled, move to fresh air. If victim has stopped breathing give artificial respiration, preferably, mouth to mouth. Contact a physician immediately.

Ingestion: Do not induce vomiting. Contact a physician immediately.

Skin: Wash affected area with soap and water. Remove contaminated clothing. Launder contaminated clothing before re-use. Contact a physician if irritation develops.

Section 5 - Fire Fighting

5.1 Extinguishing Media

Suitable Media & Unsuitable Media: Carbon dioxide, Dry chemical, Alcohol foam.

5.2 Firefighters Advice

Special protective equipment: Isolate fire area and deny unnecessary entry. Use dry chemical, alcohol foam or carbon dioxide. Water may be ineffective but should be used to keep fire exposed containers cool. If a spill or a leak has not ignited, use water spray to disperse the vapors. Water spray may be used only to keep fire exposed containers cool, protect personnel attempting to stop leak and disperse vapors.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment

Use personal protective equipment. Ensure adequate ventilation.

6.2 Environmental Precautions

Do not allow spilled material to enter sewers or streams. If material is released, indicate that there is a risk of slipping in the area. If spills are likely to enter any drain, waterway or groundwater, contact the appropriate governmental agency.

6.3 Materials & Methods to Contain and Cleanup

Add dry material to absorb (if large spill, dike to contain). Using recommended protective equipment, pick up bulk of spill and containerize for recovery or disposal. Flush area with water to remove residues.

Section 7 - Handling & Storage

7.1 Safe Handling

Read label for instructions in use of product. Prevent small spills and leakage to avoid slip hazard. Avoid contact with skin, eyes and clothing. Do not wear contact lenses when

handling this product. Keep out of the reach of children. Wash thoroughly after handling. Material can accumulate static charges which may cause an electrical spark (ignition source).

7.2 Safe Storage

Store in closed containers in a cool, dry well-ventilated area not exposed to sunlight. Maintain closure of bungs. Do not reuse container. Avoid container damage while storing. Do not allow material to be stored below 0°C. Do not allow material to freeze. Empty containers retain residue (liquid and/or vapor) and can be dangerous. Do not pressurize, cut, weld, bronze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition; they may explode and cause injury or death. Do not attempt to refill containers since residue is difficult to remove. Empty drums should be completely drained, properly bunged and returned to a drum reconditioner. All containers should be disposed of in an environmentally safe manner in accordance with governmental regulations.

7.3 Specific End Use

Designed Purpose: This product is designed for use as a Metalworking Fluid.

Section 8 - Exposure Control

Control parameters:

Exposure Guidelines: Alkanolamine: 3 mg/m³ TWA Triethanolamine ACGIH TLV: 5 mg/m³

Appropriate engineering controls: Proper protection and controls is dependent upon the potential exposure conditions. No special requirements are needed under ordinary conditions where adequate ventilation is available.

Individual protective measures:

Respiratory protection: General room ventilation should be satisfactory. Exhaust ventilation may be necessary if misting is generated.

Eye protection: Safety glasses with shields or chemical goggles are required. Contact lenses should not be worn if the product could be splashed into the eyes.

Hand protection: Rubber gloves are required for single, short duration exposures and for prolonged or repeated exposures.

Body protection: For single, short duration and for prolonged or repeated exposures to the skin, wear impervious, protective clothing including rubber safety shoes to avoid skin contact.

Section 9 - Physical & Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical state :	Liquid
Color :	Blue
Odor :	Sweet
Odor threshold :	No Data Available
pH :	@ 5% in water: 9.7 +/- 0.3
Freezing Point :	0°C
Boiling Point / Range :	>105oC
Flash Point COC :	None
Evaporation rate: :	No Data Available
Upper Explosive Limits (% air) :	No Data Available
Lower Explosive Limits (% air) :	No Data Available
Flammability (solid, gas) :	Not Applicable
Vapor pressure :	As water
Vapor density :	As water
Relative Density :	1.03 +/-0.01
Auto-ignition temperature :	Not Determined
Decomposition temperature :	Not Determined
Solubility in water :	-
Partition coefficient, n-octanol/water :	No Data Available
Viscosity @ 40C :	No Data Available
Viscosity @ 100C:	No Data Available

Section 10 - Stability & Reactivity

Chemical stability: Stable at normal conditions

Possibility of hazardous reactions: Not expected and hazardous polymerization will not occur

Conditions to avoid: Excessive Heat.

Incompatible Materials: None known.

Hazardous decomposition products: Oxides of carbon and nitrogen.

Section 11 - Toxicological Information

Inhalation: Inhalation of vapors or mist can be irritating to respiratory passages

Skin: Prolonged contact can cause irritation

Eyes: Contact can cause irritation

Oral: None known

Systemic (other target organ) Effects: None known

Teratology (birth defects): None known

Reproductive Effects: None known

Mutagenicity (effects on genetic material): None known

Carcinogenicity: IARC: NO NTP: No OSHA: No

Section 12 - Ecological Information

Persistence and degradability: Data is not available.

Section 13 - Disposal Considerations

Disposal methods: P501: Dispose of contents/ container to an approved waste disposal plant
Dispose of in accordance with federal, state and local regulations

Precaution for disposal: All recovered material should be packaged, labeled, transported and disposed or reclaimed in conformance with Good Engineering Practices. Comply with all applicable governmental regulations. Avoid landfilling of liquids. Reclaim where possible.

Section 14 - Transportation Information

US DOT: Not regulated by the US DOT

RID/ADR: Not regulated by RID/ADR

IMO: Not regulated by IMO

IATA: Not regulated by IATA

Section 15 - Regulatory Information

US TSCA: In compliance with the inventory

Canada DSL: In compliance with the inventory

Cal. Prop. 65 This product does not intentionally contain any chemicals known by the State of California to cause cancer and/or birth defects. Moreover, we do not routinely analyze its products for impurities which may be such chemicals.

SARA (313) TOXIC RELEASE INVENTORY: This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

VOC Content (SCAQMD ASTM 1868-10) : <100 g/l concentrate; <10 g/l at maximum recommended dilution of 10%.

Section 16 - Other Information

Special Precautions to be Taken in Handling and Storage:

Normal precautions common to good manufacturing practices should be followed in handling and storing. Store away from food. Wash hands before eating, drinking or smoking. Use as directed.

Disclaimer: This document has been prepared in good faith and from information provided to us by our suppliers and other sources considered to be reliable. No warranty, express or implied is given. The buyer is responsible to evaluate all available information when using this product for any particular use. The buyer is also responsible for complying with all Federal, State, Provincial, and Local Laws and regulations when using this product.