



Outstanding Quality Products
Competitive Prices
Superior Service

MILES EVERCOOL UNV

UNIVERSAL GOLD ANTIFREEZE

Miles Evercool UNV is formulated with the latest nitrite organic acid technology (NOAT) to create a high quality extended life ethylene glycol antifreeze/coolant for newer model cars and heavy duty trucks. Its special blend of long-lasting inhibitors is designed to protect all engine-cooling systems for a minimum of five years or 300,000, when used as directed.

USE RECOMMENDATION

For long life and best corrosion protection, a 50% solution is recommended. If water condition is questionable, we recommend distilled water. This provides freezing protection to -34°F, and boil-over protection to +265°F, using a 15-pound pressure radiator cap. For HVAC systems, recreational vehicles, and protection of other Hydronic systems, please consult the heat transfer fluids section of our website or call us for suggestions.

Formulated to Satisfy

ASTM D3306, ASTM D4985, SAE J1034, SAE J1941 and Federal Specification OA548D; satisfies both hot surface aluminum protection requirements of STM test D4340, and Cummins heavy duty low silicate requirements, and is compatible GM 6277M DEX Cool.

Cautionary Information

Ethylene glycol, the major component of **Miles Evercool UNV**, is poisonous to humans and animals when ingested. Store only in closed containers with complete cautionary information thereon, in a cool, secure place, out of reach of children. Do not use in any system connected with potable water.



Outstanding Quality Products
Competitive Prices
Superior Service

Typical Properties

Typical Properties	Conc. (~volume of EG)	50% (~v/v of Gold)
Ethylene Glycol	92	46
Performance Additives and Water	7	54
Color	Gold	Gold
Clarity	Clear	Clear
Specific Gravity (15/150C 60/600F)	1.12-1.14	1.06-1.09
pH 50%	7.5-9.0	7.5-9.0
Reserve Alkalinity (min)	4	2
Freeze Point (0F) Max @ 50%	-34	-34

NOTICE

No freedom from any patent owned by Seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.